




2011 Honda

PILOT



**READY IS A
STATE OF MIND.**



ENGINEERING	LX	EX/EX-L	TOURING
Engine Type	V-6	V-6	V-6
Engine Block/Cylinder Head	Aluminum-Alloy	Aluminum-Alloy	Aluminum-Alloy
Displacement (cc)	3471	3471	3471
Horsepower @ rpm (SAE net)	250 @ 5700	250 @ 5700	250 @ 5700
Torque (lb-ft @ rpm)	253 @ 4800	253 @ 4800	253 @ 4800
Valve Train	24-Valve SOHC i-VTEC®	24-Valve SOHC i-VTEC	24-Valve SOHC i-VTEC
Drive-by-Wire™ Throttle System	•	•	•
Variable Cylinder Management™ (VCM®)	•	•	•
Active Control Engine Mount System (ACM)	•	•	•
Active Noise Cancellation™ (ANC)	•	•	•
Hill Start Assist	•	•	•
Variable Torque Management® 4-Wheel Drive System (VTM-4®)	Available	Available	Available
High-Mounted Fresh-Air Intake	•	•	•
CARB Emissions Rating¹	ULEV-2	ULEV-2	ULEV-2
Direct Ignition System with Immobilizer	•	•	•
Heavy-Duty Radiator with 160-Watt Fans (2)	•	•	•
Heavy-Duty Power-Steering Fluid Cooler	•	•	•
100K +/- Miles No Scheduled Tune-Ups*	•	•	•
TRANSMISSION			
5-Speed Automatic Transmission	•	•	•
Heavy-Duty Automatic-Transmission Fluid Cooler	•	•	•
BODY/SUSPENSION/CHASSIS			
Unit-Body Construction	•	•	•
MacPherson Strut Front Suspension	•	•	•
Multi-Link Rear Suspension with Trailing Arms	•	•	•
Stabilizer Bar (mm, front/rear)	23.0/26.5	23.0/26.5	23.0/26.5
Variable Power-Assisted Rack-and-Pinion Steering	•	•	•
Turning Diameter, Curb-to-Curb (ft)	38.6	38.6	38.6
Power-Assisted Ventilated Front Disc/Solid Rear Disc Brakes (in)	13.0/13.1	13.0/13.1	13.0/13.1
Wheels	17" Steel	17" Alloy	17" Alloy
All-Season Tires	P245/65/R17 105T	P245/65/R17 105T	P245/65/R17 105T
EXTERIOR MEASUREMENTS			
Wheelbase (in)	109.2	109.2	109.2
Length (in)	190.9	190.9	190.9
Height (in)	71.0	72.7	72.7
Width (in)	78.5	78.5	78.5
Track (in, front/rear)	67.7/67.5	67.7/67.5	67.7/67.5
Ground Clearance (in, unladen)	8.0	8.0	8.0
Approach/Departure Angles (degrees)	27.8/24.5	27.8/24.5	27.8/24.5
Curb Weight (lbs, 2WD/4WD)	4319/4506	4310/4504 (EX) 4359/4544 (EX-L) 4376/4561 (EX-L w/RES) 4374/4561 (EX-L w/Navi)	4425/4608
Weight Distribution (% front/rear) 2WD (4WD)	56/44 (55/45)	56/44 (55/45)	56/44 (54/46)
Towing Capacity² (lbs, 2WD/4WD)	3500/4500	3500/4500	3500/4500
INTERIOR MEASUREMENTS			
Headroom (in, front/middle/rear)	40.0/39.8/38.2	40.0 (39.3, EX-L) /39.8/38.2	39.3/39.8/38.2
Legroom (in, front/middle/rear)	41.4/38.5/32.1	41.4/38.5/32.1	41.4/38.5/32.1
Shoulder Room (in, front/middle/rear)	61.5/62.2/58.9	61.5/62.2/58.9	61.5/62.2/58.9
Hiproom (in, front/middle/rear)	58.6/56.9/48.4	58.6/56.9/48.4	58.6/56.9/48.4
Cargo Volume³ (cu ft, behind 3rd-row)	18.0	18.0	18.0
Cargo Volume³ (cu ft, behind 2nd-row)	47.7	47.7	47.7
Cargo Volume³ (cu ft, behind 1st-row)	87.0	87.0	87.0
Passenger Volume (cu ft)	153.7	153.7/152.7 (EX-L)	152.7
Seating Capacity	8	8	8
EPA MILEAGE ESTIMATES⁴/CAPACITIES			
5-Speed Automatic (2WD; City/Highway/Combined)	17/23/19	17/23/19	17/23/19
5-Speed Automatic (4WD; City/Highway/Combined)	16/22/18	16/22/18	16/22/18
Fuel (gal)	21.0	21.0	21.0
Required Fuel²	Regular Unleaded	Regular Unleaded	Regular Unleaded

*Does not apply to fluid and filter changes. May vary with driving conditions. Please see your Honda dealer for details.

SAFETY	LX	EX/EX-L	TOURING
3-Point Seat Belts at All Seating Positions	•	•	•
Front 3-Point Seat Belts with Automatic Tensioning System	•	•	•
Driver's and Front Passenger's Seat Belt Reminder	•	•	•
Dual-Stage, Multiple-Threshold Front Airbags (SRS)	•	•	•
Front Side Airbags with Passenger-Side Occupant Position Detection System (OPDS)	•	•	•
Three-Row Side Curtain Airbags with Rollover Sensor	•	•	•
Driver's and Front Passenger's Active Head Restraints	•	•	•
Advanced Compatibility Engineering™ (ACE™) Body Structure	•	•	•
Vehicle Stability Assist™ (VSA®) with Traction Control	•	•	•
Anti-Lock Braking System (ABS)	•	•	•
Electronic Brake Distribution (EBD)	•	•	•
Brake Assist	•	•	•
Tire Pressure Monitoring System ⁵ (TPMS)	•	•	with Location and Pressure Indicators
Daytime Running Lights (DRL)	•	•	•
Side-Impact Door Beams	•	•	•
Lower Anchors and Tethers for CHildren (LATCH): Lower Anchors (2nd-row all, 3rd-row passenger-side) Tether Anchors (2nd-row all, 3rd-row all)	•	•	•
Child-Proof Rear Door Locks	•	•	•
SEATING			
Driver's Seat with 10-Way Power Adjustment, Including Power Lumbar Support	•	•	with Memory
Passenger's Seat with 4-Way Power Adjustment	•	EX-L	•
Leather-Trimmed Interior	•	EX-L	•
Heated Front Seats	•	EX-L	•
60/40 Split, Flat-Folding, Sliding and Reclining 2nd-Row Bench Seat	•	•	•
60/40 Split, Flat-Folding 3rd-Row Bench Seat	•	•	•
Adjustable Seat Belt Anchors (front- and 2nd-row)	•	•	•
Head Restraints at All Seating Positions	•	•	•
AUDIO SYSTEMS			
AM/FM/CD Audio System with 7 Speakers, Including Subwoofer	•	•	•
AM/FM/6-Disc In-Dash Audio System with 7 Speakers, Including Subwoofer	•	•	•
512-Watt AM/FM/6-Disc In-Dash Premium Audio System with 10 Speakers, Including Subwoofer	•	EX-L with RES or Navigation	•
XM® Radio ⁶	•	•	•
Radio Data System (RDS)	•	•	•
MP3/Windows Media® Audio ⁷ (WMA) Playback Capability	•	•	•
MP3/Auxiliary Input Jack	•	•	•
USB Audio Interface ⁸	•	EX-L with Navigation	•
Speed-Sensitive Volume Control (SVC)	•	•	•
INSTRUMENTATION			
Programmable Multi-Information Display	•	•	•
Digital Odometer and Digital Trip Meters (2)	•	•	•
Average Fuel Consumption Indicator	•	•	•
Instant Fuel Consumption Indicator	•	•	•
Miles-to-Empty Indicator	•	•	•
Exterior Temperature Indicator	•	•	•
Corner and Backup Sensor Indicator	•	•	•
Compass	•	•	•
Door- /Tailgate- /Glass Hatch-Open Indicator	•	•	•
EXTERIOR FEATURES			
One-Touch Power Moonroof with Tilt Feature	•	EX-L	•
Tailgate with Lift-Up Glass Hatch	•	•	•
Power Tailgate with Lift-Up Glass Hatch	•	•	•
Variable Intermittent Windshield Wipers	•	•	•
Intermittent Rear Window Wiper/Washer	•	•	•
Remote Entry	•	•	•
Security System	•	•	•
Body-Colored Power Side Mirrors	Black	Heated (4WD)	Heated (4WD) with Memory and Integrated Turn Indicators
Body-Colored Door Handles	Black	•	•
Heat-Rejecting Green-Tinted Glass	•	•	•

EXTERIOR FEATURES (continued)	LX	EX/EX-L	TOURING
Acoustic Windshield		EX-L	•
Rear Privacy Glass	•	•	•
Integrated Class III Trailer Hitch	•	•	•
Pre-Wired for Trailer Harness	•	•	Includes Trailer Harness
Roof Rails		•	•
Fog Lights		•	•
Body Side Molding	Black	Body-Colored	Chrome
Auto-On/Off Multi-Reflector Halogen Headlights	•	•	•
Body-Colored Parking Sensors (front/rear)			•
Chrome Exhaust Finishers		•	•
COMFORT & CONVENIENCE			
Front and Rear Air Conditioning with Air-Filtration System	•		
Tri-Zone Automatic Climate Control System with Humidity Control and Air-Filtration		•	•
Honda Satellite-Linked Navigation System™ ⁹ with Voice Recognition, Off-Road Tracking and Rearview Camera		Available (EX-L) ¹⁰	•
Bluetooth® ¹¹ HandsFreeLink®		EX-L with Navigation	•
Interface Dial with Scrolling and Multi-Line Display		EX-L with Navigation	•
Honda DVD Rear Entertainment System		Available (EX-L) ¹⁰	•
Power Windows with Auto-Up/Down Driver's and Passenger's Window	•	•	•
Power Door and Tailgate Locks	•	•	•
Cruise Control	•	•	•
Leather-Wrapped Steering Wheel		EX-L	•
HomeLink® Remote System ¹²		•	•
Illuminated Steering Wheel-Mounted Audio and Cruise Controls	Cruise Only	•	•
Steering Wheel-Mounted Navigation and Phone Controls		EX-L with Navigation	•
Multi-Functional Center Console Storage	•	•	•
Automatic Dimming Rearview Mirror		EX-L	•
Rearview Mirror with Rearview Camera Display		EX-L without Navigation	•
Driver's and Front Passenger's Illuminated Vanity Mirrors	•	•	•
Conversation Mirror with Sunglasses Holder		EX-L	•
Tilt and Telescopic Steering Column	•	•	•
Beverage Holders (# per row: front/2nd/3rd)	2/6/4	2/6/4	2/6/4
12-Volt Power Outlets (front-, 2nd-row and cargo area)	•	•	•
115-Volt Power Outlet (center console)		EX-L with RES	•
Upper and Lower Seatback Pockets (front-row)	•	•	•
Map Lights (all rows)	•	•	•
Remote Fuel Filler Door Release	•	•	•
Integrated Sunshades (2nd-row)			•
Floor Mats	Front- and 2nd-Row	Front- and 2nd-Row	All Rows
Hidden Storage Well	•	•	•
Cargo Area Tie-Down Anchors (4 total)	•	•	•
Cargo Area Bag Hooks	•	•	•
Cargo Net			•

¹ULEV-2 rated by the California Air Resources Board (CARB). ²Maximum towing capacity for 4WD models is 4,500 lbs. Premium unleaded fuel is recommended when towing above 3,500 lbs. Maximum towing capacity for 2WD models is 3,500 lbs. Towing requires the addition of the Honda accessory towing kit, trailer harness and hitch ball. Trailer harness is standard on Touring models. Please see your Honda dealer for details. ³Carrying too much cargo or improperly storing it can affect the handling, stability and operation of this vehicle. Before carrying any cargo, be sure to consult the owner's manual for load limits and loading guidelines. ⁴Based on 2011 EPA mileage estimates. Use for comparison purposes only. Do not compare to models before 2008. Your actual mileage will vary depending on how you drive and maintain your vehicle. ⁵For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. Please see your Honda dealer for details. ⁶Required XM Radio subscription sold separately after 90-day trial period. Subscriptions are governed by the XM Customer Agreement available at xmradio.com/serviceterms. Other fees and taxes apply after trial period; see XM Customer Agreement for details. Fees and programming subject to change. Service not available in Canada, Alaska, or Hawaii. © 2010 SIRIUS XM Radio Inc. SIRIUS, XM and all related marks and logos are trademarks of SIRIUS XM Radio Inc. and its subsidiaries. ⁷Windows Media® is a trademark or registered trademark of Microsoft Corporation in the United States and/or other countries. ⁸The USB Audio Interface is used for direct connection to and control of some current digital audio players and other USB devices that contain MP3, WMA or AAC music files. Some USB devices with security software and digital rights-protected files may not work. Please see your Honda dealer for details. ⁹The Honda Satellite-Linked Navigation System™ is available on EX-L models and standard on Touring in the United States, except Alaska. Please see your Honda dealer for details. ¹⁰The Honda Satellite-Linked Navigation System™ and DVD Rear Entertainment System are only available separately on EX-L models. ¹¹The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks by Honda Motor Co., Ltd., is under license. ¹²HomeLink and the HomeLink house are registered trademarks of Johnson Controls® ¹³Vehicle's projected resale value is specific to the 2010 model year. www.kbb.com/bvra10. Kelley Blue Book is a registered trademark of Kelley Blue Book Co., Inc. ¹⁴**3-Year/36,000-Mile Limited Warranty, 5-Year/60,000-Mile Limited Powertrain Warranty.** Ordinary maintenance or adjustments, parts subject to normal wear and replacement, and certain items are excluded. Please see your Honda dealer for details. **Always use seat belts and appropriate child seats. Children 12 and under are safest when properly restrained in the rear seat.** Specifications, features, illustrations and equipment shown in this brochure are based upon the latest available information at the time of printing. Although descriptions are believed to be correct, accuracy cannot be guaranteed. American Honda Motor Co., Inc., reserves the right to make changes at any time, without notice or obligation, in colors, specifications, accessories, materials and models. Some features mentioned herein are not available in all areas. Please see your Honda dealer for details. Some vehicles may be shown with optional equipment. Available = Optional. All images contained herein are either owned by American Honda Motor Co., Inc., or used under a valid license. It is a violation of federal law to reproduce these images without express written permission from American Honda Motor Co., Inc., or the individual copyright owner of such images. Honda Financial Services is a DBA of American Honda Finance Corporation. Honda, the H-mark symbol, Honda Care, Honda Satellite-Linked Navigation System, HondaJet, Active Noise Cancellation, Advanced Compatibility Engineering, ACE, Drive-by-Wire, HandsFreeLink, i-VTEC, Variable Cylinder Management, VCM, Variable Torque Management, VTM-4, VTM-4 Lock, Vehicle Stability Assist and VSA are trademarks of Honda Motor Co., Ltd. © 2010 American Honda Motor Co., Inc.

Kelley Blue Book's kbb.com has honored the Pilot with its 2010 Best Resale Value Award in the Full-Size Utility Vehicle category. This prestigious award is given to vehicles that are expected to have the best resale value after five years of ownership.¹³



2010 KELLEY BLUE BOOK
**BEST RESALE
VALUE AWARDS**
-kbb.com-



Want your own look? Ask your dealer about Honda Genuine Accessories.

Some accessories include running boards, crossbars, front and rear aluminum under trim and back-up sensors. They're designed, engineered and tested to meet the same exacting standards as your new vehicle—a high-quality way to make your new Honda one of a kind.




Your dealer's team of trained technicians is ready to help keep your Honda in superb shape. All 2011 Honda vehicles—and any Honda Genuine Accessories installed at the time of vehicle purchase—are covered by the 3-year/36,000-mile New-Vehicle Limited Warranty.¹⁴ Plus, Honda cars and trucks are covered by a 5-year/60,000-mile Limited Powertrain Warranty, too!¹⁴ For more information or assistance, see your Honda dealer or please give us a call at 1-800-33-Honda.

HONDA
Financial Services

Whether you buy or lease a Honda vehicle, Honda Financial Services can assist you with the process. Please ask your dealer which lease or purchase plan best suits your needs.

HONDA
Care

Honda Care[®] is an affordable, comprehensive vehicle and travel protection plan backed by Honda reliability, service and parts. Please see your Honda dealer for details.



Visit us at automobiles.honda.com
Get the latest photos, MSRPs, specs and more. You can "build" your own Honda, accessorize it—even ask for a dealer price quote, apply for financing and check dealer inventories online.